

Institute of Forensic Science, Mumbai

4.1.1 Area Statement

Ground floor

| Sr. No. | Rooms and Labs | Dimensions | Carpet Area (m ²) |
|---------|----------------------------------|---------------|-------------------------------|
| 1 | Forensic Science UG and PG Lab | 15.56 * 9.75 | 151.71 |
| 2 | Biology Lab | 14.49 * 6.55 | 94.91 |
| 3 | Common Instrumentation Lab | 4 * 6.55 | 26.20 |
| 4 | HOD Law | 4 * 6.55 | 26.20 |
| 5 | Director Cabin with Anti-Chamber | 12.18 * 4.6 | 56.03 |
| 6 | IQAC / NAAC Room | 6.2 * 4.6 | 28.52 |
| 7 | Office | 6.2 * 4.6 | 28.52 |
| 8 | NSS Room | 12.46 * 4.5 | 56.07 |
| 9 | Room No.2 | 13.75 * 11.55 | 158.81 |
| 10 | Physics UG Lab | 11.6 * 5.8 | 67.28 |
| 11 | Physics Head and Staff Room | 11 * 3.2 | 35.20 |
| 12 | Physics PG Lab | 10.1 * 8.7 | 87.87 |
| | Total area | | 817.32 |

First Floor

| Sr. No. | Rooms and Labs | Dimensions | Carpet Area (m ²) |
|---------|-------------------|-------------|-------------------------------|
| 1 | Class Room No. 3 | 12.33 * 4.8 | 59.18 |
| 2 | Chemistry Lab1-PG | 9.65 * 9.4 | 90.71 |
| 3 | Chemistry Lab2-UG | 10.2 * 9.72 | 99.14 |
| | Total area | | 249.04 |

Second Floor

| Sr. No. | Rooms and Labs | Dimensions | Carpet Area (m ²) |
|---------|----------------------------|--------------|-------------------------------|
| 1 | Cyber UG Lab | 9.42 * 6.65 | 62.64 |
| 2 | Cyber Staff Room | 9.41 * 3.5 | 32.94 |
| 3 | Cyber PG Lab and HOD Cabin | 9.41 * 3.13 | 29.45 |
| 4 | Cyber Lab | 9.41 * 6.58 | 61.92 |
| 5 | Auditorium | 9.41 * 10.5 | 98.81 |
| 6 | Law Staff Room | 4.82 * 1.28 | 6.17 |
| 7 | Room No.54 | 14.64 * 11.6 | 169.82 |
| 8 | Exam Room | 4.65 * 3.96 | 18.41 |
| 9 | Conference Room | 8 * 3.96 | 31.68 |
| 10 | Library | 15.75 * 4.12 | 64.89 |
| 11 | Reading Room | 11.6 * 2.42 | 28.07 |
| 12 | Psychology Lab | 9.8 * 3.4 | 33.32 |
| | Total area | | 638.12 |

Total Area of the Institute

1704.48



[Signature]
Director
Government Institute of
Forensic Science
Mumbai